

Cass County Recorder Deborah A. Moeller

Telephone: 701-241-5625 moellerd@casscountynd.gov

PLATS, SURVEYS & CORNER RECORDS

Note: If a **parcel split** is planned, please reach out to the respective county or city planning office in advance of any work to discuss any subdivision requirements or exemptions. Contact information for the planning offices for each jurisdiction can be found on the Recorder page at www.casscountynd.gov.

PLATS		
Requirements:	Subdivision Name	Check the subdivision listing on the Cass County page on <i>ndrin.com</i> to confirm the name has not already been used and is not similar to another.
	Legal Description	Original description (include vacated parcels, if applicable) and new description.
	Owners Certificate	Must be signed by all current parcel owners with a full notary acknowledgement.
	Surveyors Certificate	Must include surveyor's stamp with signature across stamp. Notarization not required. Cannot be e-signed per NDCC 40-50.1-03 & 1-01-37.
	Signature by City/Township/County Officials	Must include full notary acknowledgement for the following: • Engineer • Planning Commission • City/County Commission Or, county/township signatures may be attested on rural subdivision plats.
	Shading or Aerial Photos	Are <u>not</u> allowed.
	Resolutions	May be recorded. Be sure name is exactly as it appears on plat, it is signed, and number of lots and blocks agree with plat.
	Vacation (or partial vacation)	If applicable, it must be signed with a full notary acknowledgement and include a legal description of the vacated parcel(s).

Document Size 22" x 34" per Cass County Subdivision Ordinance

Specs: #2006-1.

Font ≥ 10 pt. Calibri

Media 8 mil polypropylene/PSA 36"x100" w/ 3" core OR

durable matte polypropylene by Canon Banner 139gsm/7mil, item #0834V779, can be found at Advanced Business Methods or Liberty Business Systems Inc. (mylar is not good for stamps and

notaries)

Recording: Original plats must be Taxes must be paid before recording (except for

submitted via eRecording cemetery plats).

thru the following submitters:

City of Fargo For subdivisions in the City of Fargo or its ET.

City of West Fargo For subdivision in the City of WF or its ET.

Ohnstad Twichell Law Firm For subdivisions in cities where Ohnstad Twichell

Law Firm is the city attorney.

Cass County Planning Office All other areas of the county not covered above.

at the Highway Department

•

Research: NDRIN: 1985 – present (we add older plats as we have time)

Recorder Page at casscountynd.gov

All plats are available for public viewing.

AUDITOR LOT PLATS

Requirements: Must obtain Auditor's See Finance Office page at *casscountynd.gov* or call

approval prior to recording. the Finance Office at 701-241-5600.

Size $8\frac{1}{2}$ " x 14" (or may be submitted up to 22" x 34")

Font ≥ 10 pt. Calibri

Shading or Aerial Photos Are <u>not</u> allowed.

Recording: Must be submitted via Recorder will assign auditor lot number at time of

eRecording as shown above. recording. Taxes must be paid before recording.

Research: NDRIN: Most auditor lot plats are available.

Recorder Page at All plats are available for public viewing.

casscountynd.gov

SURVEYS

Requirements: Size No larger than 8½" x 14"

Font ≥ 10 pt. Calibri

Shading or Aerial Photos Are <u>not</u> allowed.

Signatures Surveyor's signature must appear over their seal.

Notary Acknowledgement Needed if the survey is recorded as a stand-alone

document (i.e. not an exhibit attached to another

submitted document).

Note: A survey does not transfer a

parcel.

A separate transfer document will need to be recorded to effect a transfer of the surveyed parcel.

CORNER RECORDS

Requirements: Signatures Surveyor's signature must appear over their seal.

File with Recorder Physical corner monument document must be

submitted to Recorders Office where it will be indexed and placed in the Corner Record books.

Document Use current form approved

Specs: by NDPELS

See ndpelsboard.org/north-dakota-land-survey-

monument-record/

Size No larger than 8½" x 14"

Paper Should be on good bond stock weighing not less

than 16 lbs.

Research: NDRIN: All corner records are available. The S/T/R index is

available on the Cass page on NDRIN.

To search by file number, use letter C and six digits

for the file number (575 would be C100575). Numbers range from C100001 thru C104165 (as of

Numbers range from C100001 und C104103 (as of

11/19/2024)

Or, you can search by document type using Corner

Record and the S/T/R.

(Rev. April 2025)